OSRAM

DIADEM CHROME

Only amber during operation





Chrome designThanks to cutting edge interference and

absorber coating



Only amber when operating, otherwise almost invisible



Homogenous appearance
Reflector has a fully homogenous chrome
look





The design light with chrome look

OSRAM DIADEM CHROME signal lamps have a strikingly exclusive design: their chrome look made possible by a cutting edge interference and absorber coating. The lamps emit amber light only when operational. At other times, they are almost invisible and have no irritating color effects. DIADEM CHROME lamps are ideal for all indicator lights with clear covers.

Product family datasheet

Technical data

| | Product information | General Product Information | Electrica | Electrical Data | | |
|-----------------------|---|--------------------------------|-------------|-----------------|--------------------|--|
| Product description | Application (Category and Product specific) | Global order reference | Power input | Nominal voltage | Nominal wattage | |
| DIADEM CHROME PY21W | Auxiliary lamp | 7507DC | 25 W | 12.0 V | 21 W | |
| DIADEM CHROME WY5W 1) | Auxiliary lamp | 2827DC | 5 W | 12.0 V | 5 W | |

| | | Photometric Data | | Physical Attributes & Dimensions | Lifetime Data |
|-----------------------|--------------|-----------------------|-------------------------------|----------------------------------|------------------|
| Product description | Test voltage | Nominal luminous flux | Luminous flux tolerance | Diameter | Lifespan B3 |
| DIADEM CHROME PY21W | 13.5 V | 280 lm | ±20 % | 25.0 mm | 100 hr |
| DIADEM CHROME WY5W 1) | 13.5 V | 30 lm | ±20 % | 10.0 mm | 200 hr |

| | | Capabilities | Certificates & standards | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | |
|----------------------------------|----------------|--------------|--------------------------------|---|------------------------------------|--|
| Product description | Lifespan Tc | Technology | ECE category | Primary article identifier | Candidate list substance 1 | |
| DIADEM CHROME PY21W | 250 hr | AUX | PY21W | 4052899418011 4008321972774 4062172211529 4062172394857 4052899241657 4052899417977 | No declarable substances contained | |
| DIADEM CHROME WY5W ¹⁾ | 500 hr | AUX | WY5W | 4052899417939 4052899979925 4008321972750 4052899417915 4062172394758 4052899417953 4052899067790 | No declarable substances contained | |

| Product description | Declaration no. in |
|-----------------------|----------------------|
| | SCIP database |
| DIADEM CHROME PY21W | No declarable |
| | substances contained |
| DIADEM CHROME WY5W 1) | No declarable |
| | substances contained |

¹⁾ Amber lamp for clear indicators

Product family datasheet

Download Data

File



User instruction
GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













