## **OSRAM**

# LEDriving BASIC P21/5W



## Product family datasheet

#### Technical data

	Product information		General Product Information	Electrical Data	
Product description	Product type (off- road vs. on-road)	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage
LEDriving BASIC	Off-road ≙ P21/5W	Mainly used for signal/ indicator applications	1357CW	1.44 W	12.0 V

				Photometric Data	Physical Attributes & Dimensions
Product description	Nominal wattage	Power input toleranc	Test voltage	Nominal luminous flux	Lamp base
		е			
LEDriving BASIC	1 W	±20 %	13.5 V	85/25 lm	BAY15d

			Lifetime D	ata	Capabilities
Product description	Length	Diameter	Lifespan B3	Lifespan Tc	Technology
LEDriving BASIC	38.2 mm	20.0 mm	2000 hr	2000 hr	LED

Environmental & Regulatory Information
Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

		,	• • • • • • • • • • • • • • • • • • • •	
Product description	Primary article identifier	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
LEDriving BASIC ≜ P21/5W	4052899463295   4052899414518   4052899414495	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration no. in SCIP database
LEDriving BASIC	9bf3b981-7442-
	439c-a86d-
	e513fc794734
	fe6d71fd-c80e-400d-
	8cc2-14ed29394294
	1d480114-7d33-
	4144-80cc-
	0d5f7210d25e

### Product family datasheet

#### Download Data

#### File



User instruction

GPRS\_Safety symbols instructions



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

#### Legal advice

Not ECE conformOnly approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

#### **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

