

# XENARC COOL BLUE ADVANCE

Mega white light for off-road use



### Xenon mega white

Mega white light due to a special filling system used instead of conventional coating



### Up to 6,000 K

High contrast and most stylish look on the road



### Enhanced brightness

For better visibility and shorter reaction times compared to standard xenon lamps



### The mega white xenon light with up to 6,000 K

XENARC COOL BLUE ADVANCE convinces with mega white xenon light and high color temperatures of up to 6,000 K. This is due to a special filling system instead of conventional coating. These products do not have ECE approval. This means they must not be used on public roads. Please note: Use on public roads leads to cancellation of operating license and loss of insurance coverage. Not for sale in Germany.

# Product family datasheet

## Technical data

Product description	Electrical Data					Photometric Data
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Nominal luminous flux
XENARC COOL BLUE ADVANCE D1S <sup>1)</sup>	35 W	85.0 V	35 W	±3 %	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D2S <sup>1)</sup>	35 W	85.0 V	35 W	±3 %	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D3S <sup>1)</sup>	35 W	42.0 V	35 W	±3 %	13.5 V	3200 lm
XENARC COOL BLUE ADVANCE D4S <sup>1)</sup>	35 W	42.0 V	35 W	±3 %	13.5 V	3200 lm

Product description	Luminous flux tolerance	Physical Attributes & Dimensions		
		Lamp base	Length	Diameter
XENARC COOL BLUE ADVANCE D1S <sup>1)</sup>	±15 %	PK32d-2	83.2 mm	9 mm
XENARC COOL BLUE ADVANCE D2S <sup>1)</sup>	±15 %	P32d-2	77.3 mm	9 mm
XENARC COOL BLUE ADVANCE D3S <sup>1)</sup>	±15 %	PK32d-5	83.2 mm	9 mm
XENARC COOL BLUE ADVANCE D4S <sup>1)</sup>	±15 %	P32d-5	77.3 mm	9 mm

Product description	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
		ECE category	Primary article identifier	Candidate list substance 1	CAS No. of substance 1
XENARC COOL BLUE ADVANCE D1S <sup>1)</sup>	D1S <sup>2)</sup>		4052899988897   4052899989139	Lead	7439-92-1
XENARC COOL BLUE ADVANCE D2S <sup>1)</sup>	D2S <sup>2)</sup>		4052899988910   4052899989153	Lead	7439-92-1
XENARC COOL BLUE ADVANCE D3S <sup>1)</sup>	D3S <sup>2)</sup>		4052899989177   4052899988934	Lead	7439-92-1
XENARC COOL BLUE ADVANCE D4S <sup>1)</sup>	D4S <sup>2)</sup>		4052899989191   4052899988958	No declarable substances contained	

Product description	Safe use instruction	Declaration no. in SCIP database
XENARC COOL BLUE ADVANCE D1S <sup>1)</sup>	The identification of the Candidate List substance is sufficient to allow safe use of the article.	23127931-47fc-43d7-8740-57b6eda6caec   d4e7389f-c16f-4833-8810-7f3302a5a169
XENARC COOL BLUE ADVANCE D2S <sup>1)</sup>	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3aeced05-59a5-4f34-8494-170faeced5b6   9539ce21-2f22-40cd-8b55-1f9b2a642232

## Product family datasheet


Product description	Safe use instruction	Declaration no. in SCIP database
XENARC COOL BLUE ADVANCE D3S <sup>1)</sup>	The identification of the Candidate List substance is sufficient to allow safe use of the article.	29535ee4-0890-481f-aa94-f6bd90aaebea   35fe0a6a-b061-4c2b-8479-df7ea01b7d0d
XENARC COOL BLUE ADVANCE D4S <sup>1)</sup>		No declarable substances contained

<sup>1)</sup> Reduced UV emission/For projection headlights/ECE approval and DOT label

<sup>2)</sup> To be operated only with approved electronic control gear

## Product family datasheet

### Download Data

File	
	User instruction GPRS_Safety symbols instructions

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

