OSRAM

LEDriving SL P21W YELLOW

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Amber



Replaces conventional P21W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for P21W

LEDriving SL P21W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional P21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product information		General Product Information	Electrical	Electrical Data	
Product description	Product type (off- road vs. on-road)	• •	tion (Category oduct specific)	Global order reference	Power input	Nominal voltage
LEDriving SL ≙ P21W	Off-road ≙ P21W	•	used for indicator tions	7506DYP	1.8 W	12.0 V
				Photometric Data		Physical Attributes & Dimensions
Product description	Nominal watt	tage	Test voltage	Nominal luminous flux	Luminous flux tolerance	Diameter
LEDriving SL ≙ P21W	1 W		13.5 V	50 lm	±25 %	25.0 mm
	Lifetime Data	ı	Capabilities	Environmental & Reg Information accordin Regulation (EC) 1907	g Art. 33 of El	J

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≙ P21W	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	558ba419-9f08- 4a0e-b0ad- fa29ec684e7c f893b2c4-9d2c-4d79- ac1d-e1942146ed73

Technology

LED 1)

Primary article

4062172152228 |

4062172401357

identifier

Candidate list

substance 1

Lead

Lifespan

1500 hr

В3

Lifespan

4000 hr

Tc

Product description

LEDriving SL ≙ P21W

¹⁾ Light-emitting diode lamp

Product family datasheet

Download Data

File



User instruction

GPRS_Safety symbols instructions



Brochures

LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.