## **OSRAM**

# LEDriving SL PS19W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



Replaces conventional PS19W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



## Suitable LED replacement for PS19W

LEDriving SL PS19W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional PS19W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

## Product family datasheet

## Technical data

	Product informat	Product information General Product Information		t Electrical Data	
Product description	•	plication (Category d Product specific)	Global order reference	Power input	Nominal voltage
LEDriving SL ≙ PS19W	PS19W da	ainly used for ytime running light plications	5201DWP  Photometric Data	1.8 W	12.0 V  Physical Attributes &
					Dimensions
Product description	Nominal wattage	Test voltage	Nominal luminous flux	Luminous flux tolerance	Diameter
LEDriving SL ≙ PS19W	1 W	13.5 V	140 lm	±25 %	15.5 mm
	Lifetime Data	Capabilities	Environmental & Re	egulatory Inforr	mation

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Candidate list

substance 1

Lead

Primary article

4062172150293 |

4062172401456

identifier

Product description	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≙ PS19W	7439-92-1	The identification of	6868705b-a925-
		the Candidate List	4a87-a27f-
		substance is	369be63e9f5a
		sufficient to allow	11589200-5e74-
		safe use of the	464c-a970-
		article.	2b1ae6f9e2dc

Technology

LED 1)

Lifespan

4000 hr

Tc

Lifespan

1500 hr

В3

**Product description** 

<sup>1)</sup> Light-emitting diode lamp

## Product family datasheet

#### Download Data

#### File



User instruction

GPRS\_Safety symbols instructions



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

## Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

## Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

## **Application advice**

For more detailed application information and graphics please see product datasheet.

## **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.