

BATTERYcharge 908



The OSRAM BatteryCharger 908 is a 8A smart charger and battery maintainer for 12V and 24V vehicles including most cars, vans and small trucks. Maintains and charges a vehicle's battery through a 7 stage charging cycle at the touch of a button for Lithium batteries, with only a 9-stage cycle of Lead Acid/AGM batteries. Includes a backlit LCD digital display to keep things easy even in low light. A host of safety features including reverse polarity and short-circuit protection, keeps both the user and the vehicle safe. Be sure that the charger is maintaining your car battery as it automatically changes to long-term maintenance mode when the vehicle's battery is full.

Product family datasheet

Technical data

Product description	Product information	Electrical Data		
	Application (Category and Product specific)	Charge Rate (Up to)	Maintenance Charge (up to)	Max battery capacity
BATTERY charge 908	Smart battery charger	8.0 A	4.0 A	150 Ah






Product description	Min battery capacity	Physical Attributes & Dimensions		
		Length	Height	Width
BATTERY charge 908	70 Ah	185.0 mm	70.0 mm	106.0 mm

Product description	Dimensions & weight		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Power Cable Length	Clamps Cable Length	Candidate list substance 1	CAS No. of substance 1
BATTERY charge 908	1.5 m	1.5 m	Lead	7439-92-1

Product description	Safe use instruction	Declaration no. in SCIP database
BATTERY charge 908	The identification of the Candidate List substance is sufficient to allow safe use of the article.	39a90b38-e51d-44ff-8a96-fe9eea625c68

Product family datasheet

Download Data

File	
	User instruction BATTERYcharge
	Movie application BatteryCharge How to Video (ITA)
	Movie application BatteryCharge How to Video (EN)
	Product movie OSRAM BATTERYcharge OEBCS908 Product Video (EN)
	Product movie OSRAM BATTERYcharge OEBCS908 Product Video (DE)

Legal advice

*for precise conditions please refer to:

www.osram.com/am-guaranteeApplication advice:

For more detailed application information and graphics please see product datasheet.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.