

BATTERYstart 400



The OSRAM BATTERYstart400 is a high power Lithium Cobalt LiCoO₂ jump starter for 12V vehicles up to 8L with petrol engines and 4L with diesel. Compact, without compromising on power, the BATTERYstart400 fits easily into the glovebox of your car – making it easier to use when in an emergency. The BATTERYstart400's intelligent clamps have anti-spike, reverse polarity and short circuit protection, keeping you, the car and the jump starter safe and in working condition. Also includes a power bank feature for charging electronic devices such as mobile phones and tablets and a bright LED working light. Ideal for all car sizes, SUVs, vans and motorcycles.

Product family datasheet

Technical data

Product description	Product information			
	Efficiency	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	USB sockets 2.1A
BATTERY start 400 ¹⁾	Best	8 l	4 l	2

Product description	12V Power socket connection	Application (Category and Product specific)	General Product Information	Physical Attributes & Dimensions
			Global order reference	Length
BATTERY start 400 ¹⁾	Yes	Lithium Starter	OBSL400	212.0 mm





Product description	Width	Height	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
			Candidate list substance 1	CAS No. of substance 1
BATTERY start 400 ¹⁾	88.0 mm	30.0 mm	Lead	7439-92-1

Product description	Safe use instruction	Declaration no. in SCIP database
BATTERY start 400 ¹⁾	The identification of the Candidate List substance is sufficient to allow safe use of the article.	04bfb91c-9f38-4530-8bb1-23587637e9c4

¹⁾ Up to 8L Petrol 4L Diesel

Product family datasheet

Download Data

File	
	User instruction BATTERYstart
	Movie application BatteryStart How to Video (ITA)
	Movie application BatteryStart How to Video (EN)
	Product movie OSRAM BATTERYstart 400 Product Video (EN)

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.