
OSRAM

LEDinspect SLIM 500





Foldable lamp

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



500 Lumen

Three light functions - high with up to 500 lm, low with up to 250 lm and torchlight function with up to 70 lm



Protection class IP54 & IK07

Protection against the ingress of dust and splashing water according to IP54 and is tested for impact resistance according to IK07



2-year OSRAM Guarantee

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

Product family datasheet



Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use. With three light functions - high with up to 500 lm, low with up to 250 lm and torchlight function with up to 70 lm- this light offers high flexibility and diverse adjustment possibilities. The ultra-flat design in combination with the multi-angle positioning -270° rotatable and 180° swiveling- allows the light beam to be directed exactly where it is needed. The inspection light is rechargeable, and the integrated charge level indicator shows the current status of the battery. A USB Type-C charging cable and the corresponding power adaptor are included in the scope of supply. The LEDinspect SLIM 500 can be used for up to six hours at low power and up to four hours at high power.In accordance with IP54 protection rating, this inspection light has protection against ingress of particles with ≥ 1.0 mm and against splashing water and is tested for impact resistance in accordance with IK07. This LED light is easy to carry, has a non-slip and dirt-repellent surface, includes an integrated hook & magnets for hands-free work and easy attachment, making it ideal for craft activities, car repairs and everyday use. In addition, OSRAM provides a 2year guarantee on this product*.

Product family datasheet

Technical data

| | Product information | General Product Information Global order reference | | Electrical Data | | |
|---------------------|--|---|--------------------------|--|------------------------------|--|
| Product description | Application (Category and Product specific) | | | Nominal wattage | | Nominal voltage |
| INSPECTION LAMP | LED inspection lights | LEDIL403 | | 9 W | | 3.7 V |
| | Photometric Data | | | | Physica Dimens | al Attributes & sions |
| Product description | Color temperature | Nominal luminous flux | | Light color LED | Product weight | |
| INSPECTION LAMP | 5700 K | 500 lm | | White | 155.00 | g |
| | | | | | | LED module information |
| Product description | Length | Width | | Height | | Number of LEDs per module |
| INSPECTION LAMP | 175.0 mm | 45.0 mm | | 41 mm | | 2 |
| | Colors & materials | Lifetime Data | Additional product data | | | |
| Product description | Base color | Guarantee | Type of Battery | | Number of included batteries | |
| INSPECTION LAMP | Black / Orange | 2 years | Recharg | eable 1 | | |
| | | Capabilities | Certificates & standards | | Logistical data | |
| Product description | Scope of battery | Technology | IK Class | | Watt hour per battery | |
| INSPECTION LAMP | Yes | LED | IK08 | | 9.62 | |
| | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | | | | |
| Product description | Candidate list substance 1 | CAS No. of su | of substance Safe use | | uction | Declaration no. in SCIP database |
| INSPECTION LAMP | Lead | 7439-92-1 | | The identification of the Candidate List substance is sufficient to allow safe use of the article. | | abf165c4-c2f3-4ed4- 83e9-757384ad2096 |

Product family datasheet

Download Data

File



User instruction LEDinspect SLIM 500



Movie application LEDinspect Inspection Lights Trailer

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.