OSRAM

LEDinspect TWIST250





Multi-Angle Flex & Twist

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



250 Lumen

2 light functions:Up to 250lm -highUp to 125lm -low



2in1

Inspectionlight & Torchlight function



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

With the TWIST 250 you have the possibility to easily control the direction of the light beam. A light output of up to 250 lumens and a colour temperature of up to 6000K, make the TWIST 250 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

	Product information	General Product Information		Electrical Data		
Product description	Application (Category and Product specific)	Global order reference		Nominal wattage		Nominal voltage
INSPECTION LAMP	LED inspection lights	LEDIL412		8 W		3.7 V
	Photometric Data				Physic Dimen	al Attributes & sions
Product description	Color temperature	Nominal luminous flux		Light color LED	Product weight	
INSPECTION LAMP	6000 K	250 lm Wr		White	488.00 g	
Donald and Association	l ali	Width		Uninka		LED module information
Product description	Length	width		Height		LEDs per module
INSPECTION LAMP	243.0 mm	50.0 mm		44.0 mm		2
	Colors & materials	Lifetime Data	Addition	nal product data		
Product description	Base color	Guarantee	uarantee Type of Battery		Number of included batteries	
INSPECTION LAMP	Black / Orange	2 years	Recharg	geable	1	
		Capabilities		Certificates & standards		Logistical data
Product description	Scope of battery	Technology	IK Class		Watt hour per battery	
INSPECTION LAMP	Yes	LED	IK09		8.14	
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Product description	Candidate list substance 1	CAS No. of su	bstance	Safe use instr	uction	Declaration no. in SCIP database
INSPECTION LAMP	Lead	7439-92-1		The identificathe Candidate substance is sufficient to a safe use of the article.	e List Illow	c20eb463-09bd- 4c1e-8bd5- 69238c3db62e

Product family datasheet

Download Data

File



User instruction LEDinspect TWIST 250



Movie application LEDinspect Inspection Lights Trailer

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.