# **OSRAM**

## PREMIER FLAT BLADE





### Product family datasheet

#### Technical data

	General Product Inf	General Product Information		Hardware Features
Product description	Design / version	Global order reference	Wiper sizes	Mount Type
-	Advanced beam	OSFB14, OSFB15,	OSFB28 -	pre-fitted adaptor for
	technology	OSFB16, OSFB17,	28""/700mm /	hook arms
		OSFB18, OSFB19,	OSFB26 -	
		OSFB20, OSFB21,	26""/650mm/	
		OSFB22, OSFB24,	OSFB24 -	
		OSFB26, OSFB28	24""/600mm /	
			OSFB22 -	
			22""/550mm /	
			OSFB21 -	
			21""/525mm /	
			OSFB20 -	
			20""/500mm/	
			OSFB19 -	
			19""/475mm /	
			OSFB18 -	
			18""/450mm /	
			OSFB17 -	
			17""/425mm /	
			OSFB16 -	
			16""/400mm/	
			OSFB15 -	
			15""/375mm /	
			OSFB14 -	
			14""/350mm	

Environmental & Regulatory Information
Information according Art. 33 of EU Regulation (EC) 1907/2006
(REACh)

	(REACH)				
Product description	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database		
-	4062172292535	No declarable	No declarable		
	4062172292634	substances contained	substances contained		
	4062172292559				
	4062172292658				
	4062172292474				
	4062172292573				
	4062172292672				
	4062172292498				
	4062172292597				
	4062172292696				
	4062172292511				
	4062172292610				

### Product family datasheet

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

