# **OSRAM**

## **BATTERYstart PRO 1000**



The OSRAM BATTERYstart PRO 1000 is a safe and compact Lithium-ion Cobalt (LiCoO2) jump starter for professional workshops. Designed for multiple uses, it will jump start all petrol engine vehicles and up to 10L diesel engine vehicles. Much smaller in size compared traditional Lead Acid starters, the BATTERYstart PRO 1000 is 75% lighter than traditional Lead Acid jumpstarters, yet still delivers high performance power safely. It includes intelligent safety clamps to manage power between the jump starter and vehicle, maintaining user safety with reverse polarity, short circuit and anti-spike protection. The hard-wearing, robust polycarbonate construction makes the BATTERstart PRO 1000 ideal for workshop environments. The unit can be recharged quickly via a PD60W charger (not supplied with the unit).

## Product family datasheet

## Technical data

	Product information			
Product description	Efficiency	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	USB sockets 2.1A
BATTERY start 1000 <sup>1)</sup>	Professional	All l	10 l	2
			General Product Information	Physical Attributes & Dimensions
Product description	12V Power socket connection	Application (Category and Product specific)	Global order reference	Length
BATTERY start 1000 <sup>1)</sup>	Yes	Lithium Starter	OEBSPL1000	227.0 mm
			Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Product description	Width	Height	Candidate list substance 1	CAS No. of substance 1
BATTERY start 1000 1)	190.0 mm	74.0 mm	Lead	7439-92-1

Product description	Safe use instruction	Declaration no. in SCIP database
BATTERY start 1000 <sup>1)</sup>	The identification of	4d5a82f7-bfeb-42e0-
	the Candidate List	bc9e-ec6ddb8bb40a
	substance is	
	sufficient to allow	
	safe use of the	
	article.	

<sup>1)</sup> All petrol engines and up to 10L Diesel

## Product family datasheet

### Download Data

### File



User instruction
BATTERYstart PRO OEBSPL1000 User Manual

## **Application advice**

For more detailed application information and graphics please see product datasheet.

### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.